

1. (3 pts. each) Let  $\triangle ABC$  be a triangle.


(a) Show that the measure of angles of  $\triangle ABC$  sums to  $180^\circ$ .

(b) Show that  $|\hat{4}| = |\hat{1}| + |\hat{2}|$  (drawn).

**Solution:**

(a) Draw a line  $\overleftrightarrow{BE}$  parallel to  $\overleftrightarrow{AC}$ , see the diagram. Note that  $|\hat{2}| + |\hat{5}| + |\hat{6}| = 180^\circ$  (supp. angles). The line  $\overleftrightarrow{AB}$  is a transversal to the parallel lines  $\overleftrightarrow{BE}$  and  $\overleftrightarrow{AC}$ . Hence,  $\hat{1} \cong \hat{5}$  (alternate interior angles). Also,  $\overleftrightarrow{BC}$  is another transversal and hence  $\hat{3} \cong \hat{6}$ . Thus,  $|\hat{2}| + |\hat{1}| + |\hat{3}| = |\hat{2}| + |\hat{5}| + |\hat{6}| = 180^\circ$ .

(b) Note that  $\hat{3}$  and  $\hat{4}$  are supplementary angles and hence  $|\hat{3}| + |\hat{4}| = 180^\circ$ . Thus,  $|\hat{1}| + |\hat{2}| + |\hat{3}| = 180^\circ = |\hat{3}| + |\hat{4}|$ . Therefore,  $|\hat{4}| = |\hat{1}| + |\hat{2}|$ .



2. (3 pts. each) If  $ABCD$  is a rhombus with midpoints  $P$ ,  $Q$ ,  $R$ , and  $S$  of the sides.

(a) Show that  $PQRS$  is a parallelogram.

(b) Show that  $PQRS$  is a rectangle.

**Solution:**

(a) Note that in  $\triangle ABC$ , we have  $P$  and  $Q$  are the midpoints of  $\overline{AB}$  and  $\overline{BC}$ , respectively. Hence,  $\overline{PQ} \parallel \overline{AC}$  (Theorem in class).

Moreover,


$$\text{i. } \frac{|\overline{BP}|}{|\overline{BA}|} = \frac{|\overline{BQ}|}{|\overline{BC}|} = \frac{1}{2}.$$

ii.  $\hat{B}$  is common.

Thus we get  $\triangle BPQ \sim \triangle BAC$  by S-SAS. That is  $\frac{|\overline{PQ}|}{|\overline{AC}|} = \frac{1}{2}$ .

Do the same procedure on  $\triangle DAC$  and  $\triangle DSR$ , we get:  $\overline{SR} \parallel \overline{AC}$  and  $\frac{|\overline{SR}|}{|\overline{AC}|} = \frac{1}{2}$ . Therefore,  $\overline{PQ} \parallel \overline{RS}$  and  $\overline{PQ} \cong \overline{RS}$ . Thus,  $PQRS$  is a parallelogram.

(b) From part (a), we proved that  $\overline{PQ} \parallel \overline{AC}$ . We can (in the same way as in part (a)) show that  $\overline{PS} \parallel \overline{BD}$ . But  $\overline{AC} \perp \overline{BD}$  (since  $ABCD$  is a rhombus). Therefore,  $\overline{PQ} \perp \overline{PS}$  and hence  $\hat{QPS}$  is a right angle. Since  $\overline{PS} \parallel \overline{QR}$ , we also get  $\hat{PQR}$  is right angle as well. Therefore,  $PQRS$  is a rectangle.





4. (3+3+2 pts.) In the diagram, let  $\left| \hat{P} \right| = 30^\circ$ . Let  $\overline{PD}$  be a tangent line to the circle  $\odot O$  at the point  $C$ . Also assume that  $\widehat{AB} \cong \widehat{AC}$ .

(a) Find  $x$ ,  $y$ ,  $z$  and  $w$ .

(b) Show that  $\triangle ABO \cong \triangle ACO$ .

(c) Find  $\left| \hat{ACO} \right|$ .

**Solution:**

(a) Note that  $\left| \hat{P} \right| = 30^\circ = \frac{1}{2}(z - x)$  (Theorem in the class) which implies that  $60^\circ = z - x$  or  $z = 60^\circ + x$ . Moreover,  $x + 2z = 360^\circ$  implies that  $x + 2(60^\circ + x) = 360$ . That is,  $3x = 240^\circ$ . Therefore,  $x = 80^\circ$  and  $z = 140^\circ$ . Therefore,  $y = x = 80^\circ$  (central angle), and  $w = \frac{1}{2}x = 40^\circ$  (inscribed angle).

(b) in the triangles  $\triangle ABO$  and  $\triangle ACO$ , we have:

- i.  $\overline{BO} \cong \overline{CO}$  (both are radii).
- ii.  $\widehat{AB} \cong \widehat{AC}$  (since  $\widehat{AB} \cong \widehat{AC}$ ).
- iii.  $\overline{AO}$  is common.

By SSS,  $\triangle ABO \cong \triangle ACO$ .

(c) Clearly  $\left| \hat{ACD} \right| = \frac{1}{2}z = 70^\circ$  (Theorem in the class). But  $\left| \hat{OCD} \right| = 90^\circ = \left| \hat{ACO} \right| + \left| \hat{ACD} \right|$ . Hence  $\left| \hat{ACO} \right| = 20^\circ$ .

